

KEY MAP

STORM DRAINAGE STRUCTURE TABLE	
NAME	STRUCTURE DETAILS
D-1	PRECAST DITCH BOTTOM INLET - TYPE C 10 FT. OR LESS GRATE ELEV. = 17.25 (E) INV. ELEV. = 14.25
D-2	PRECAST DITCH BOTTOM INLET - TYPE C 10 FT. OR LESS GRATE ELEV. = 17.65 (S) INV. ELEV. = 13.80
D-3	PRECAST DITCH BOTTOM INLET - TYPE C 10 FT. OR LESS GRATE ELEV. = 17.80 (N) INV. ELEV. = 14.00 (S) INV. ELEV. = 13.80
D-4	PRECAST DITCH BOTTOM INLET - TYPE C 10 FT. OR LESS GRATE ELEV. = 18.65 (S) INV. ELEV. = 15.75
D-5	PRECAST DITCH BOTTOM INLET - TYPE C 10 FT. OR LESS GRATE ELEV. = 18.65 (N) INV. ELEV. = 15.75
D-6	PRECAST DITCH BOTTOM INLET - TYPE C 10 FT. OR LESS GRATE ELEV. = 18.00 (E) INV. ELEV. = 15.25
D-7	PRECAST DITCH BOTTOM INLET - TYPE C 10 FT. OR LESS GRATE ELEV. = 17.90 (W) INV. ELEV. = 14.50 (SE) INV. ELEV. = 14.50
	PRECAST TYPE J7 MANHOLE (1-PIECE 24 IN. DIA. COVER (CENTER)) WITH 48 IN.

REV. No.	DATE	DESCRIPTION


SEAL

FL P.E. No. 38799

JONATHAN T. RICKETTS

3450 Northlake Boulevard - Suite 200
Palm Beach Gardens, Florida 33403
Phone: (561) 630-6700
Toll - Free: (877) 630-6777
Fax: (561) 625-2770
FL Certificate of Authorization: 6173
NC Certificate of Authorization: C-2761

JTR
Jonathan T. Ricketts, Inc.
CORPORATE ENGINEER - CIVIL/PAVING



SITE II

BOCA WEST RECREATIONAL PUD

FLORIDA

LAT 26°22'31.03"N
LON 80° 9'27.71"W

BOCA RATON

PAVING GRADING & DRAINAGE PLAN

PROJ. NO.: 1942

DRAWN BY: RC

SHEET:

C4.4