



XX STATION ELECTRIC IRRIGATION CONTROLLER WITH RAIN SWITCH. RAIN SWITCH TO BE MOUNTED ON A STATIONARY STRUCTURE, CLEAR OF ANY OVERHEAD OBSTRUCTIONS. VERIFY MOUNT LOCATIONS IN THE FIELD.
120VAC, 1.0 AMP, ELECTRIC POWER SUPPLY PROVIDED BY THE BUILDING ELECTRICAL CONTRACTOR.

2" REDUCED PRESSURE ZONE BACKFLOW PREVENTER BY IRRIGATION INSTALLER PER LOCAL CODES. CONCEAL IN SHRUB AREA, VERIFY LOCATION IN THE FIELD.

IRRIGATION WATER SUPPLY
2" TAP AND 2" WATER METER BY BUILDING PLUMBING CONTRACTOR. VERIFY LOCATION IN THE FIELD.
MINIMUM FLOW RATE OF 60 GPM AT 60 PSI STATIC WATER PRESSURE REQUIRED.



KEY MAP N.T.S.

To the best of the architect's or engineer's knowledge, the plans and the applicable fire-safety standards as determined by the local authority in accordance with this section and Chapter 633, Florida Statutes.

REVISIONS

NO.	DATE	DESCRIPTION

© Garcia Stromberg

GARCIA STROMBERG
GS4studios
P E T E R S T R O M B E R G, INC.
President
Chief Executive Officer
20583 BOCA WEST DRIVE
BOCA RATON, FL 33434
TEL: 561-478-9885 FAX: 561-478-9886

BOCA WEST COUNTRY CLUB
Mr. Matthew Linderman
20583 BOCA WEST DRIVE
BOCA RATON, FL 33434

BOCA WEST COUNTRY CLUB
POOL AREA AND PORTE COCHERE
20583 BOCA WEST DRIVE
BOCA RATON, FL 33434

IRRIGATION PLAN
IR-04

PROJECT # 1000
SHEET #
100% DESIGN
DEVELOPMENT
ISSUED FOR BID
PLOT DATE: JANUARY 13, 2021
ISSUE DATE: JANUARY 13, 2021