


| PART TYPE | HRS RATED | UL DESIGN NUMBER | STUD DEPTH | DESCRIPTION | GWB THK | INSULATION | MIN STC RATING |
|---|---|---|---|---|---|---|---|
| S1-I | N/A | N/A | 3 5/8" | TYPICAL INTERIOR FULL HEIGHT PARTITION | 5/8" | 3 1/2" UNFACED FIBERGLASS BATT | STC-47 |
| S2-I | N/A | N/A | 6" | TYPICAL INTERIOR FULL HEIGHT PARTITION | 5/8" | 6" UNFACED FIBERGLASS BATT | STC-55 |

1-1/2" = 1'-0" S-I PARTITION TYPE E5




| PART TYPE | HRS RATED | UL DESIGN NUMBER | STUD DEPTH | DESCRIPTION | GWB THK | INSULATION | MIN STC RATING |
|---|---|---|---|---|---|---|---|
| F4 | N/A | N/A | 3 5/8" | EXTERIOR FREESTANDING FURRING @ PLUMBING | 5/8" | 1" THK R5 CONT BOARD + 3 1/2" BATT INS | N/A |
| - | - | - | - | - | - | - | - |

1-1/2" = 1'-0" PARTITION TYPE C5




| PART TYPE | HRS RATED | UL DESIGN NUMBER | STUD DEPTH | DESCRIPTION | GWB THK | INSULATION | MIN STC RATING |
|---|---|---|---|---|---|---|---|
| F3 | N/A | N/A | 3 5/8" | EXTERIOR FREESTANDING FURRING | 5/8" | 1" THK R5 CONT BOARD + 3 1/2" BATT INS | N/A |
| - | - | - | - | - | - | - | - |

1-1/2" = 1'-0" PARTITION TYPE A5




| PART TYPE | HRS RATED | UL DESIGN NUMBER | STUD DEPTH | DESCRIPTION | GWB THK | INSULATION | MIN STC RATING |
|---|---|---|---|---|---|---|---|
| K1 | N/A | N/A | 3 5/8" | TYPICAL INTERIOR KNEEWALL | 5/8" EA SIDE | N/A | N/A |
| - | - | - | - | - | - | - | - |

1-1/2" = 1'-0" PARTITION TYPE E1




| PART TYPE | HRS RATED | UL DESIGN NUMBER | STUD DEPTH | DESCRIPTION | GWB THK | INSULATION | MIN STC RATING |
|---|---|---|---|---|---|---|---|
| F2 | N/A | N/A | 1 5/8" | TYPICAL EXTERIOR FREESTANDING FURRING | 5/8" | 1" THK R5 CONTINUOUS BOARD | N/A |
| - | - | - | - | - | - | - | - |

1-1/2" = 1'-0" PARTITION TYPE C1




| PART TYPE | HRS RATED | UL DESIGN NUMBER | STUD DEPTH | DESCRIPTION | GWB THK | INSULATION | MIN STC RATING |
|---|---|---|---|---|---|---|---|
| F1 | N/A | N/A | 1 5/8" | TYPICAL INTERIOR FREESTANDING FURRING | 5/8" | OPTIONAL | N/A |
| - | - | - | - | - | - | - | - |

1-1/2" = 1'-0" PARTITION TYPE A1

NOT FOR CONSTRUCTION

To the best of the architect's or engineer's knowledge, the plans and specifications comply with the applicable building codes and with the applicable fire-safety standards as determined by the local authority in accordance with this section and Chapter 633, Florida Statutes.

REVISIONS

SEAL

© Garcia Stromberg

GARCIA STROMBERG GS4studios
Jorge H. Garcia RA NCARB
Chief Executive Officer
A6000789
Peter T. Stromberg RA NCARB
President
A6000126
2385 Vista Parkway Suite 16, West Palm Beach, FL 33411 TEL 561.478.5855 FAX 561.478.3665
Corporate Number AA26000672

CLIENT - OWNER
BOCA WEST COUNTRY CLUB
20583 BOCA WEST DRIVE
BOCA RATON, FL 33434

PROJECT INFORMATION
BOCA WEST COUNTRY CLUB
MAIN BUILDING 1ST AND 2ND FLOOR RENOVATION
20583 BOCA WEST DRIVE
BOCA RATON, FL 33434

DRAWING SHEET NAME
PARTITION TYPES

PROJECT # 1801-2
SHEET # A 0.08

100% DD
PLOT DATE: JANUARY 15, 2021
ISSUE DATE: JANUARY 15, 2021